

**RPAYC Cruising Regulations
EQUIPMENT AUDIT FORM**

INSHORE	MONO & MULTIHULLS	For Inshore Events (generally sheltered waters)
DATE OF AUDIT ____/____/____	SAIL NO:	BOAT NAME:

This form is valid for 12 months from the date of audit.

OWNER DETAILS

OWNER(S) NAME(S):			
OWNER(S) AS NO(S):		OWNER(S) CLUB(S)	

BOAT DETAILS

LENGTH OVERALL		BOAT REGISTRATION NO:
DISPL (tonnes):		DISTINGUISHING MARKS:
HULL COLOUR:		
DECK COLOUR:		
MAX CREW:		

DECLARATION BY PERSON IN CHARGE

I have read and understand my obligations as set out in the RPAYC Cruising Regulations, in particular CR 1.02 (Responsibility of the Person in Charge), and CR 2.03.1 (General Requirements). I understand that this audit is undertaken only as a guide to Persons in Charge and event organising authorities. I understand that an auditor does not limit or reduce the complete and unlimited responsibility of the Person in Charge as defined in CRs 1.02 and 2.03. I undertake that I will maintain all of the boat's equipment in good working order and condition as specified in the current RPAYC Cruising Regulations.

Signed by the Person in Charge:

Date:

OUTSTANDING ITEMS - The equipment listed in the following pages was complete except for the following items

Outstanding Item	Re-Inspected by	AS Auditor No.	Date

EQUIPMENT AUDITOR DECLARATION

The equipment onboard this boat has been compared with the equipment listed on the audit form and the items listed were found to be on board at the time of the audit.

Audited by ASNEA/CEA:

Signed by AS NEA/CEA:

AS Number:

Date:

**RPAYC Cruising Regulations
EQUIPMENT AUDIT FORM**

OCEAN		MONO & MULTIHULLS	
DATE OF AUDIT ____/____/____	SAIL NO:	BOAT NAME:	

CR	Item	PiC	Auditor	CR	Item	PiC	Auditor
2.03.1	Equipment must function effectively			3.24.10	Mobile phone, charger		
2.03.2	Ballast and heavy items - secured			3.26	Batteries – dedicated engine start battery, isolation		
3.06.1	Two escape exits, one exit must be forward of the foremost mast.			3.28.1	Hull identification, lettering size		
3.06.2	Exit min clearance 450x300mm or 450mm dia			4.01	Fire extinguishers – one x 10BE, serviceable, fire blanket.		
3.06.5	Multi: Each hull containing accommodation has a viable means of escape in the event of inversion.			4.02	Anchor - one, chain and line, appropriate size, immediate use		
3.07	Hatches & companionways – securing arrangements, above and below operation, port sizes, signage if > 0.07m ³			4.03	Two flashlights, water resistant floating type		
3.08	Cockpit – watertight, self-draining, min drain numbers and size.			4.04	Sound signaling device (foghorn)		
3.09	Seacocks - shut-offs on all openings below waterline			4.06	Charts , Books - Colregs, Green Book, Emergency Contact sticker		
3.10	Plugs – for seacocks, lanyard			4.08	Depth sounder, perm instln, visible from helm.		
3.11	Mast - keel stepped heel secure			4.12.1	Tools to disconnect rigging		
3.12.3	Bow pulpit opening <360mm, stanchions - perm instaln, location, straight.			4.12.2	Engine spares - filters, belts, oil, seals, impeller		
3.12.6	Lifelines- if fitted, taut, continuous barrier, 2.2m max unsupported, wire size, height, lanyard gap.			4.12.4	Knife - high mod. fibre capable, sharp, c'pit		
3.13	Multi: Nets & tramps – check chafe, fixing points, foot trap risk, openings less than 50mm.			4.14	Boat's name - lifejackets, lifesling, cushions etc		
3.15	Toilet(s) – securely installed.			4.15	EPIRB – if carried, location, batt date, regn, testing.		
3.16	Bunks – if fitted, securely fastened, fit for purpose.			4.18	Lifebuoy – if carried, 1+ sling/module, light, colour, retro tape		
3.17	Galley – stove, where installed, securely fastened, gas cert, shut-off sign			4.19	Flares - 2R, 2O, waterproof container		
3.18	Water – additional 10L of potable water			4.20	Heaving line – 15m, float, access from c'pit		
3.20	One manual bilge pp, perm instln lanyards on handles, two buckets			4.23	Halyards – at least two per mast		
3.20.7	Multi: provision to pp out watertight cpts.			4.25	MOB - explain retrieval method		
3.22	Nav. Lights – if fitted, IRPCAS, no masking.			4.26	Distress sheet		
3.23	Engine & fuel - speed, perm tank, shut-off, capacity, 20nm			4.27	Stowage chart		
3.24.5	VHF - one, installed, emgy antenna			5.01.1	Lifejackets - all crew, inflate test, Level 150 min, in date.		
3.24.8	Radio receiver – weather b'casts			6.02	Medical kit - contents, in date, WT container		

**RPAYC Cruising Regulations
EQUIPMENT AUDIT FORM**

CR 6.02	Medical kit contents	Contents	PIC	Auditor
	Paracetamol 500mg. (Panadol) or Ibuprofen 200mg (e.g. Nurofen)	20		
	Soluble Aspirin (Disprin)	20		
	Butterfly Steristrips (Strips of 5)	10		
	Disposable Gloves	10		
	Crepe bandages 75mm x 1.5m	2		
	Low Absorbency non-adherent dressing/plain gauze (e.g. Melolin)	10		
	Band-aids	20		
	Adhesive tape 50mm x 2.5m (Leukoplast)	1		
	Roll, cotton wool	1		
	Antiseptic skin solution (Betadine) 15ml	1		
	Normal saline (for washing) – 30ml	2		
	Solugel wound dressing 100gm (e.g. Solosite, Duoderm Gel, Purilon)	1		
	Sunscreen 30+ SPF 250ml	1		
	Scissors, stainless steel	1		
	Forceps, splinter, stainless steel	1		
	Safety pins, assorted sizes	10		
	CPR mask or six face shields	1		
	Thermal / Space blanket	1		